




**mNEXSPIKE<sup>®</sup>**

COVID-19 Vaccine, mRNA

by **moderna**



## What to expect from your vaccine

### COVID-19 is still a risk—especially for older adults

COVID-19 affects everyone differently. But older adults are more likely to get seriously sick from COVID-19.

#### Why vaccinate with mNEXSPIKE?

mNEXSPIKE is a COVID-19 vaccine for adults 65 and older.

mNEXSPIKE is a lower-dose vaccine—one-fifth of the dose of Moderna's other COVID-19 vaccine—that can protect against COVID-19.

#### In the clinical trial, most people responded well to mNEXSPIKE.

The most common side effects included: injection site reactions and general side effects such as tiredness, headaches, and muscle and joint pain. There is a small chance that mNEXSPIKE could cause a severe allergic reaction, myocarditis (inflammation of the heart muscle), and pericarditis (inflammation of the lining outside the heart). These may not be all the possible side effects of mNEXSPIKE. To learn more, see the Important Safety Information below and on the following pages.

**Ask your doctor or pharmacist if mNEXSPIKE is right for you.**

#### What is mNEXSPIKE (COVID-19 Vaccine, mRNA)?

mNEXSPIKE is a vaccine to protect against COVID-19. mNEXSPIKE is for people who are:

- 65 years of age and older, or
- 12 years through 64 years of age at high risk for severe COVID-19.

Vaccination with mNEXSPIKE may not protect all people who receive the vaccine.

#### IMPORTANT SAFETY INFORMATION

**You should not get mNEXSPIKE** if you had a severe allergic reaction after a previous dose of either mNEXSPIKE, SPIKEVAX (COVID-19 Vaccine, mRNA), or any Moderna COVID-19 vaccine or to any ingredient in these vaccines.

***Please click for [Full Prescribing Information](#) and [Information for Recipients and Caregivers](#).***

# Before you get mNEXSPIKE

Tell your vaccination provider about all your medical conditions, including if you:

- have any allergies
- had a severe allergic reaction after receiving a previous dose of any COVID-19 vaccine
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received any other COVID-19 vaccine
- have ever fainted in association with an injection

# After you get mNEXSPIKE

Some of the more common side effects are:

## Injection site reactions:

- pain
- tenderness and swelling of the lymph nodes in the same arm of the injection
- swelling (hardness)
- redness

## General side effects:

- fatigue
- headache
- muscle pain
- joint pain
- chills
- nausea and vomiting

These side effects are normal and mean your body is building up the protection it needs to fight disease. Most reactions disappear within a few days.

However, after a few days, if you are still experiencing side effects, please talk to your vaccine provider.

## Other reported side effects are:

- severe allergic reactions
- myocarditis (inflammation of the heart muscle)
- pericarditis (inflammation of the lining outside the heart)
- fainting in association with injection of the vaccine



If you experience a severe allergic reaction, call 9-1-1 or go to the nearest hospital.

Signs of a severe allergic reaction can include: difficulty breathing, swelling of your face and throat, a fast heartbeat, a bad rash all over your body, dizziness, and weakness.



**mNEXSPIKE**<sup>®</sup>

COVID-19 Vaccine, mRNA

by **moderna**

## IMPORTANT SAFETY INFORMATION (cont'd)

### What are the risks of mNEXSPIKE?

There is a very small chance that mNEXSPIKE could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to 1 hour after getting a dose of mNEXSPIKE. For this reason, your healthcare provider may ask you to stay for a short time at the place where you received your vaccine. Signs of a severe allergic reaction can include:

- Trouble breathing
- Swelling of your face and throat

**Please click for Full Prescribing Information and Information for Recipients and Caregivers.**

## IMPORTANT SAFETY INFORMATION (cont'd)

### What are the risks of mNEXSPIKE? (cont'd)

- A fast heartbeat
- A rash all over your body
- Dizziness and weakness

Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received mRNA COVID-19 vaccines. Myocarditis and pericarditis following mRNA COVID-19 vaccines have occurred most commonly in males 12 years through 24 years of age. You should seek medical attention right away if you or your child has any of the following symptoms after receiving the vaccine, particularly during the 2 weeks after receiving a dose of the vaccine:

- Chest pain
- Shortness of breath
- Feelings of having a fast-beating, fluttering, or pounding heart

Side effects that have been reported in clinical trials include:

- Injection site reactions: pain, tenderness and swelling of the lymph nodes in the same arm of the injection, swelling (hardness), and redness
- General side effects: fatigue, headache, muscle pain, joint pain, chills, nausea and vomiting and fever

### Tell your vaccination provider about all of your medical conditions, including if you:

- have any allergies
- had a severe allergic reaction after receiving a previous dose of any COVID-19 vaccine
- have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received any other COVID-19 vaccine
- have ever fainted in association with an injection

These may not be all the possible side effects of mNEXSPIKE. Ask your healthcare provider about any side effects that concern you. You may report side effects to **Vaccine Adverse Event Reporting System (VAERS)** at 1-800-822-7967 or <http://vaers.hhs.gov>.

***Please click for Full Prescribing Information and Information for Recipients and Caregivers.***

